

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008  
 "" alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1 **Product identifier**  
 Trade Name: **Kipp Linienreiniger**  
 Article No.: n.av.  
 Preparation No.: 13  
 Registration No.: n.av.
- 1.2 **Relevant identified uses of the substance or mixture and uses advised against**  
 Use: Reinigungsverdünnung
- 1.3 **Details of the supplier of the safety data sheet**
- 1.3.1 **Address of the Company / Supplier:**  
 Kipp GmbH, Murrstraße 1, D- 70806 Kornwestheim  
 Telephone: +49 - 7154-82420, Telefax: +49 - 7154-824210, E-Mail: info@kipp-line.de
- 1.4 **Emergency telephone number**  
 Emergency - Telephone of Company / Undertaking      Information Centre Specialising in Symptoms of Poisoning  
 Telephone: +49 - 7154-82420 (8:00 – 16:30)                      Telephone: +44 870 600 6266

**SECTION 2: Hazards identification**

- 2.1 **Classification of the substance or mixture**  
**Classification and labelling according to Directive 1272/2008/EC:**  
 Flam. Liq. 3; H226 / STOT SE 3; H336 / EUH066
  - 2.2 **Label elements**  
 Classification according to 1272/2008/EC: Yes.  
 Applicable Exemptions: No.  
 Signal word(s): Warning  
 Component(s):  
  
**H - Phrases:**  
 H226: Flammable liquid and vapour.  
 H336: May cause drowsiness or dizziness.  
  
**P - Phrases:**  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P261: Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P271: Use only outdoors or in a well-ventilated area.  
 P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 P312: Call a POISON CENTER/doctor if you feel unwell.  
 P501: Dispose of contents/container to hazardous or special waste collection point.  
  
 Additional Markings:  
 EUH066: Repeated exposure may cause skin dryness or cracking.  
 The above mentioned labelling is valid for distribution to industrial user.
- Hazard pictogram(s):
- 2.3 **Other hazards**  
 Solvents may degrease the skin. In use, may form flammable/explosive vapour-air mixture.

**SECTION 3: Composition/information on ingredients**

- 3.1 **Substances**

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008  
 \*\*\* alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



3.2 **n.ap.**  
**Mixtures**  
**Chemical Characterisation:**  
 Solvent mixture  
**Dangerous Ingredients:**

Material			H - phrases	m% - range
CAS - No.	EC - No.	REACH - No.		
n-Butylacetat			H226 / H336 / EUH066	70 - 90%
123-86-4	n. av.	01-2119485493-29-xxxx		
2-Methoxy-1-methylethyl acetate			H226	10 - 20%
108-65-6	n. av.	01-2119475791-29-xxxx		

Text of H - phrases: see section 16

**SECTION 4: First aid measures**

- 4.1 **Description of first aid measures**
- 4.1.1 **Inhalation:**  
Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. If symptoms persist, call a physician.
- 4.1.2 **Skin Contact:**  
Wash off immediately with soap and plenty of water. Consult a physician if necessary.
- 4.1.3 **Eye Contact:**  
In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
- 4.1.4 **Ingestion:**  
Clean mouth with water and afterwards drink plenty of water. Do not induce vomiting. Obtain medical attention. Show this safety data sheet to the doctor in attendance.
- 4.2 **Most important symptoms and effects, both acute and delayed**  
Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.
- 4.3 **Indication of any immediate medical attention and special treatment needed**  
Treat symptomatically.

**SECTION 5: Firefighting measures**

- 5.1 **Extinguishing media**
- 5.1.1 **Suitable Extinguishing Media:**  
Use dry chemical, CO<sub>2</sub>, water spray or "alcohol" foam.
- 5.1.2 **Extinguishing Media to Avoid:**  
None.
- 5.2 **Special hazards arising from the substance or mixture**  
In the event of fire the following can be released: Carbon oxides
- 5.3 **Advice for firefighters**
- 5.3.1 **Special Protective Equipment:**  
Wear positive pressure self-contained breathing apparatus. Wear full protective clothing.
- 5.3.2 **Additional Information:**  
In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures**

- 6.1 **Personal precautions, protective equipment and emergency procedures**  
See chapter 8.2.2  
Contaminated surfaces will be extremely slippery.

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008  
 \*\*\* alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



- 6.2 **Environmental precautions**  
Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.
- 6.3 **Methods and material for containment and cleaning up**  
Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.
- 6.4 **Reference to other sections**  
None.

**SECTION 7: Handling and storage**

- 7.1 **Precautions for safe handling**
  - 7.1.1 **Precautions for Safe Handling:**  
Do not breathe vapours or spray mist. Avoid contact with the skin and the eyes.  
When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-use.  
Wash hands before breaks and at the end of workday.
  - 7.1.2 **Precautions in Case of Fire and Explosion:**  
Keep away from sources of ignition - No smoking.  
Take measures to prevent the build up of electrostatic charge.
- 7.2 **Conditions for safe storage, including any incompatibilities**
  - 7.2.1 **Storage Instructions:**  
Keep in an area equipped with solvent resistant flooring. Avoid subsoil penetration.  
Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place.  
Ensure adequate ventilation. Vapours are heavier than air and may spread along floors.
  - 7.2.2 **Store away from:**  
Do not store together with oxidizing agents.
  - 7.2.3 **Further Information on Storage Conditions:**  
Keep away from direct sunlight.
- 7.3 **Specific end use(s)**  
n.av.

**SECTION 8: Exposure controls/personal protection**

- 8.1 **Control parameters**

<b>Material</b>	<b>Limit Value</b>	
2-Methoxy-1-methylethyl acetate	50 ppm   270 mg/m³, TWA: 50 ppm   275 mg/m³	
- 8.2 **Exposure controls**
  - 8.2.1 **Appropriate engineering controls**  
Provide appropriate exhaust ventilation at machinery.
  - 8.2.2 **Individual protection measures**
    - 8.2.2a **Respiratory Protection:** In case of insufficient ventilation wear suitable respiratory equipment.  
Respirator with filter A2
    - 8.2.2b **Hand Protection:** Protective gloves butyl-rubber (1 mm) break through time > 6h  
The data about break through time/strength of material are standard values!  
The exact break through time/strength of material has to be obtained from the producer of the protective glove.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.
    - 8.2.2c **Eye Protection:** Safety glasses
    - 8.2.2d **Skin Protection:** Protective suit
    - 8.2.2e **Further Information:** Observe wearing time limits:
  - 8.2.3 **Environmental exposure controls:**  
n.av.

**SECTION 9: Physical and chemical properties**

- 9.1 **Information on basic physical and chemical properties**
  - 9.1.1 **Form:** liquid                      **Colour:** colourless                      **Odour:** characteristic solvent  
**Odour threshold:** n.av.
  - 9.1.2 pH-value, undiluted:                      n.av.

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008

\*\*\* alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



	pH-value, 1% aqueous solution:	n.av.
9.1.3	Boiling point / Boiling - range (°C):	n.av., Melting point / Melting range (°C): n.av.
9.1.4	Flash point (°C):	Butylacetat: 25, closed cup
9.1.5	Flammability (EEC A10/A13):	n.ap.
9.1.6	Ignition temperature (°C):	n.av.
9.1.7	Autoflammability (EEC A16):	n.ap.
9.1.8	Oxidising properties:	n.av.
9.1.9	Explosion hazard:	No.
9.1.10	Explosion limits (Vol.%) lower:	BuAc: 1,2, upper: BuAc: 7,5
9.1.11	Vapour pressure:	n.av.
	Vapour density (Air = 1):	n.av.
9.1.12	Density (g/ml):	0,9
9.1.13	Solubility (in Water):	practically insoluble
9.1.14	Partition coefficient, n-Octanol / Water:	n.av.
9.1.15	Viscosity:	n.av.
9.1.16	Solvent content (m %):	100
9.1.17	Thermal decomposition (°C):	n.av.
9.1.18	Evaporation rate:	n.av.
9.2	<b>Other information</b>	
	n.av.	

**SECTION 10: Stability and reactivity**

- 10.1 **Reactivity**  
None.
- 10.2 **Chemical stability**  
Stable under normal conditions.
- 10.3 **Possibility of hazardous reactions**  
No dangerous reaction known under conditions of normal use.
- 10.4 **Conditions to avoid**  
Heat, flames and sparks. Extremes of temperature and direct sunlight.
- 10.5 **Incompatible materials**  
Incompatible with oxidizing agents.
- 10.6 **Hazardous decomposition products**  
No decomposition if stored and applied as directed. To avoid thermal decomposition, do not overheat.

**SECTION 11: Toxicological information**

- 11.1 **Information on toxicological effects**  
Acute Health Effects:  

Inhalation:	n.av.
Ingestion:	n.av.
Skin Contact:	n.av.
Skin corrosion / irritation:	None.
Serious eye damage / irritation:	None.
Respiratory or skin sensitisation:	None.
Germ cell mutagenicity:	n.av.
Carcinogenicity:	n.av.
Reproductive toxicity:	n.av.
STOT-single exposure:	n. av.
STOT-repeated exposure:	n. av.
Aspiration hazard:	n. av.

**11.1.2 – Practical Experience**

- 11.1.11 n.av.
- 11.1.12 **Practical Experience**  
Observations relevant for classification:  
Vapours may cause drowsiness and dizziness.  
Further Observations:  
Solvents may degrease the skin.  
Classification of the preparation has been done by calculation in accordance with EEC directives.

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008  
 \*\*\* alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



**SECTION 12: Ecological information**

- 12.1 **Toxicity**  
We have no quantitative data concerning the ecological effects of this product.
- 12.2 **Persistence and degradability**  
No data is available on the product itself.
- 12.3 **Bioaccumulative potential**  
n.av.
- 12.4 **Mobility in soil**  
n.av.
- 12.5 **Results of PBT and vPvB assessment**  
n.av.
- 12.6 **Other adverse effects**
- 12.6.1 COD-Value, mg/g: n.av.
- 12.6.2 BOD5-Value, mg/g: n.av.
- 12.6.3 AOX-Remarks: n.av.
- 12.6.4 Significant Components: None.
- 12.6.5 Other adverse effects: None.

**SECTION 13: Disposal considerations**

- 13.1 **Waste treatment methods**
- 13.1.1 Recommendation: D 10 / R1  
 n: Waste - Code - No.:  
  
 The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.  
  
 In addition comply with the regional authorities.
- 13.2 **Contaminated Packaging**
- 13.2.1 Recommendation: Wash with suitable cleaner. Otherwise as described under Residues.
- 13.2.2 Safe Handling: As described under Residues.

**SECTION 14: Transport information**

	ADR	IMDG	IATA
14.1 <b>UN number</b>	1263	1263	1263
14.2 <b>UN proper shipping name</b>	UN 1263 Paint related material	Paint related material	Paint related material
14.3 <b>Transport hazard class(es)</b>	3	3	3

Date of issue: 10.06.2015 Replaces Data Sheet of: 28.03.2008

\*\*\* alterations as compared to previous version; n.ap. = not applicable; n.av. = not available



14.4	<b>Packing group</b> III	III	III
14.5	<b>Environmental hazards</b>	No.	
14.6	<b>Special precautions for user</b> Transport category: 3 Classification Code: F1 Hazard - No.: 30 LQ: 5 L	F-E, S-E	Packing Instructions (Passenger) 355 Packing Instructions (Cargo) 366
14.7	<b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	n.av.	

**SECTION 15: Regulatory information**

- 15.1 **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
n.av.
- 15.2 **Chemical safety assessment :**  
A chemical safety assessment has not been carried out.

**SECTION 16: Other information**

**Text of H phases mentioned in Section 3**

EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H336: May cause drowsiness or dizziness.

This datasheet has been compiled in accordance with EU regulation 453/201.

The statements in this Material Safety Data Sheet were made to the best of our knowledge and are as accurate as possible. They are given for information only. They do not constitute a contractual guarantee of a product's properties. They must neither be altered nor transferred to other products.